



产品规格	12	25	50	75	100	150	200	300	400	600	800	1000	1500	2000	2400	
料箱容量Hopper Capacity	12	25	50	75	100	150	200	300	400	600	800	1000	1500	2000	2400	
风机功率Blower Power	75	135	155	210	215	320	320	340	340	1000	1500	1500	2200	3200	3700	
电热功率Heating Power	1.8	3.0	4.0	4.0	6.0	9.0	12.0	15.0	18.0	21.0	24.0	32.0	48.0	48.0	32.0	
干燥温度Drying Temperature	150℃															
出口口径Outlet Diameter	1.5	1.5	2	2	2.5	2.5	2.5	3	3	4	4	5	5	5	6	
内径Inner Diameter	0.25	0.287	0.387	0.422	0.457	0.512	0.607	0.67	0.76	0.9	0.9	1	1.2	1.2	1.4	
外径Outer Diameter	0.293	0.33	0.43	0.465	0.5	0.595	0.69	0.754	0.844	0.985	0.944	1.05	1.25	1.25	1.5	
法兰厚度Flange Thickness	0.04	0.05	0.05	0.065	0.065	0.065	0.0762	0.1	0.1	0.1	0.11	0.11	0.11	0.11	0.1	
法兰孔径Flange Hole Diameter	0.06	0.125× 0.125	0.13× 0.13	0.13× 0.13	0.13× 0.13	0.13× 0.13	0.15× 0.13	0.15× 0.2	0.21× 0.2	0.2	0.2	0.2	0.2	0.2	0.21× 0.25	
法兰孔距Flange Hole Spacing	0.12× 0.12	0.175× 0.175	0.175× 0.175	0.175× 0.175	0.175× 0.175	0.175× 0.175	0.175× 0.175	0.18× 0.245	0.18× 0.245	0.25× 0.3	0.23	0.23	0.23	0.23	0.25× 0.3	
磁座厚度Magnetic Seat Thickness	0.136	0.163	0.208	0.254	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	
磁座孔径Magnetic Seat Hole Diameter	0.148	0.18	0.22	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27	
电压Voltage	380VAC 3P/PE 50Hz															
电压Voltage	220VAC 1P/PE 50Hz															
重量Weight	2.1	3.4	4.4	4.4	6.4	9.5	12.5	15.5	18.5	22.5	25.5	33.8	50.5	50.6	36	
包装尺寸Packaging Size	5×1.5	5×2.5	4×4+1×2.5	4×6+1×4	4×10+1×6	3×16 2×10	3×25+2×16	3×16 2×10	3×16 2×10	3×16 2×10	3×16 2×10	3×16 2×10	3×16 2×10	3×16 2×10	3×16 2×10	
磁座厚度Magnetic Seat Thickness	5															
磁座孔径Magnetic Seat Hole Diameter	0.525	0.605	0.715	0.74	0.8	0.95	1.05	1.14	1.26	1.49	1.86	1.35	1.55	1.55	2.18	
磁座孔距Magnetic Seat Hole Spacing	0.36	0.36	0.57	0.66	0.67	0.85	0.9	0.91	0.98	1.1	1.25	1.05	1.25	1.25	1.62	
磁座重量Magnetic Seat Weight	0.55	0.65	0.88	1.09	1.26	1.385	1.55	1.64	1.76	1.86	2.57	2.75	2.5	2.8	4.11	
磁座重量Magnetic Seat Weight	KG	30	30	47	63	65	95	130	155	186	225	280	320	380	500	
磁座重量Magnetic Seat Weight	M	0.04	0.04	0.05	0.05	0.05	0.063	0.063	0.076	0.1	0.1	0.101	0.101	0.101	0.010	
磁座重量Magnetic Seat Weight	M	0.09× 0.09	0.09× 0.09	0.13× 0.13	0.13× 0.13	0.13× 0.13	0.13× 0.13	0.13× 0.13	0.12× 0.141	0.12× 0.141	0.12× 0.141	0.21× 0.21	0.21× 0.21	0.21× 0.21	0.21× 0.21	
磁座重量Magnetic Seat Weight	M	0.12× 0.12	0.12× 0.12	0.175× 0.175	0.175× 0.175	0.175× 0.175	0.175× 0.175	0.175× 0.175	0.18× 0.18	0.18× 0.18	0.25× 0.25	0.25× 0.25	0.25× 0.25	0.25× 0.25	0.25× 0.25	
附件Accessories	1.磁底座Magnetic Seat 2.磁力架Hopper Magnet 3.热风回收过滤器Hot Air Recycler 4.排风过滤器Exhaust Air Filter 5.L型脚架L Type Floor Stands 6.A型脚架A Type Floor Stands 7.吸料箱Material Suction Box															

注：产品规格若有变更，恕不另行通知。 We reserve right to change specifications without prior notice.

有关产品性质和适用范围的说明并不保证产品属性，仅作可供了解的信息。我们的供货范围及提供的服务完全以合同条款为准绳。技术数据和插图仅作为供货参考。保留更改权利。

Feature and scope of the product does not guarantee the product attributes,only for reference.Our scope of delivery and services provided are based solely on the terms of delivery and services provided are based solely on the terms of the contract.Technical data and illustration are only for reference .We reserve the rights of changing.

©2019 弘远

弘远环保科技股份有限公司
HONGYUAN ENVIRONMENTAL TECHNOLOGY CO., LTD.

