


普通型干燥机 Hopper Dryers

THD



● 特点 Features

- All material contact surfaces are made of stainless steel to avoid material contamination.
- Hopper aluminum casting hopper barrel features smooth surface & great performance on temperature keeping.
- Round, good design with anti-dust design, eliminates dust for ensuring material free from contamination.
- Hopper barrel is filled with steel through which can observe inside material level.
- Hot air inlet elbow design can prevent dust piling up at the bottom of the hopper to avoid burning.
- It's adapted hot air diffuser for assuring an even hot air flow to improve drying efficiency.
- Hopper barrel separated from its base for easy cleaning.
- Safety device with overload and overheat protection.
- It's equipped with the best convenient socket machine installation.

6-400


()

()


30%

Hopper Dryers are mainly applied to plastic material drying. Hot air is used to dry all wet materials which gain an even hot air flow to improve drying efficiency for assuring quality of products. Hopper capacities rang from 6kgs ~400kgs can be offered for selection. Exhaust air filter (option) can filter the dust, contain air effectively from discharging to the surrounding area. Hot air recyclers (option) to make hot air form a semi-closed circulated loop to speed up hot air circulation for shorten heating time to achieve energy saving up to 30%.

● 选择加装配件 Options



Magnetic Seat



Hopper Magnet



Hot Air Recycler




Exhaust Air Filter



Material suction box



Floor Stand



● 规格表 Specification Sheet

规格表 Specification Sheet	
Hopper Capacity	
Blower Power	
Header Power	
Drying Temp	
Guide Size	
Hopper Body Dia	
ID Flange ID Dia	
PCD Flange PCD Dia	
OD Flange OD Dia	
PCD Blower PCD Dia	
OD Blower OD Dia	
Power Supply	
Control Voltage	
Total Power	
Wires Specification	
Wires Length	
Dimensions	
Weight	
Optional Accessories	

THD-120-L

THD-120T-L

We reserve right to change specifications without prior notice.

Feature and scope of the product does not guarantee the product attributes,only for reference.Our scope of delivery and services provided are based solely on the terms of delivery and services provided are based solely on the terms of the contract.Technical data and illustration are only for reference .We reserve the rights of changing.

广东拓斯达科技股份有限公司
GUANGDONG TOPSTAR TECHNOLOGY CO., LTD.

ADD: No. 1 Changde Road, Huasheng Industrial Park, Dongguan City,
Guangdong Province

TEL: 0769-8208 0999 FAX: 0769-8204 0262

Business Service Center: 400-036-0005

