

Oil Type Mold Temperature Controller

TTO



特点 Features

- Electronic control panel and machine body are isolated to acquire good effects on heat insulation in order to extend the service life of electrical components.
- P.I.D multi-stage temperature control system can save power up to 35%, thanks to control temperature accurately & reasonably.
- Perfect safety protection and variaction display which are easy maintained and repaired even without professionals can do it.
- Imported hi-class parts with long service life.
- Rapid heating and cool down speeds lead temperature to be kept precisely and stably with accuracy up to ± 0.1 °C.
- Unique heating design are suitable to different temperature control application with excellent & distinct power saving.
- 304 stainless steel integrated pipelines with low pipe resistance and even heating for long service life.
- Automatic air-exhausting function after start up.
- Air blowing and return oil function.

200 300

Oil Type Mold Temperature Controller use oil as heating media to realize heat exchange by indirect cooling. Oil type has its superiorities with wide temperature controlled range and excellent heat stability. Standard heating temperature can reach at 200 while high temperature type can reach 300.

Safety Protecting and Indiction System

- Safty Protection and Indiction System
- Power lack-phase protection
- Non-fuse circuit braker for protecting power supply
- Pump reverse protection and indicating lamp
- Water shortage protection and indicating lamp
- Overheat protection and indicating lamp
- By-pass
Hot oil by-pass pressure release loop
- Forced cooling
- Abnormal temperature alarm
- Abnormal alarm buzzer
- Oil shortage protection and indicating lamp



oil type mold
temperature controller

Options

- Thermocouplen for connecting external wirling
- Thermometer for return oil
- Leakage protection switch
- Abnormal voltage protection switch
- Teflon hose

www.topstarltd.com

Feature and scope of the product does not guarantee the product attributes,only for reference.Our scope of delivery and services provided are based solely on the terms of delivery and services provided are based solely on the terms of the contract.Techical data and illustration are only for reference .We reserve the rights of changing.

TSD-2021-12

GUANGDONG TOPSTAR TECHNOLOGY CO.,LTD.

2

ADD: No.2 Chuangxin Road, Datanglang, Dalingshan Town, Dongguan City,
Guangdong Province.

TEL: 0769- 8305 0999 FAX: 0769- 8584 5562
Domestic Service Hotline: 400- 096- 8005

